NSN 5910-01-312-3931

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-312-3931

Body Style: W/o mtg facilities, terminals on opposite surfaces Reliability Indicator: Not established Terminal Length: 1.500 inches Body Length: 0.650 inches Body Width: 0.220 inches Body Height: 0.350 inches Terminal Diameter:
Reliability Indicator: Not established Terminal Length: 1.500 inches Body Length: 0.650 inches Body Width: 0.220 inches Body Height: 0.350 inches
Not established Terminal Length: 1.500 inches Body Length: 0.650 inches Body Width: 0.220 inches Body Height: 0.350 inches
Terminal Length: 1.500 inches Body Length: 0.650 inches Body Width: 0.220 inches Body Height: 0.350 inches
1.500 inches Body Length: 0.650 inches Body Width: 0.220 inches Body Height: 0.350 inches
Body Length: 0.650 inches Body Width: 0.220 inches Body Height: 0.350 inches
0.650 inches Body Width: 0.220 inches Body Height: 0.350 inches
Body Width: 0.220 inches Body Height: 0.350 inches
0.220 inches Body Height: 0.350 inches
Body Height: 0.350 inches
0.350 inches
Terminal Diameter:
0.020 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Capacitance Value Per Section:
1.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
50.0 dc single section
Tolerance Range Per Section:
-5.00/+5.00 percent single section
Case Material:
Plastic
Insulation Resistance At Reference Temp:
40000.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
1.000
Terminal Surface Treatment:
Solder
Dielectric Material:
Plastic polyester
Terminal Type And Quantity:
2 uninsulated wire lead
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5910-01-312-3931

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Fiig:

A010b0