Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-313-0537

## **Body Style:**

W/o mtg facilities, terminal (s) on one end

# **Reliability Indicator:**

Not established

# **Terminal Length:**

0.984 inches

#### **Body Diameter:**

0.512 inches

#### **Body Length:**

0.787 inches

#### Center To Center Distance Between Terminals Parallel To Diameter:

0.197 inches

#### **Terminal Diameter:**

0.019 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

## Anode Type:

Plain foil

## Impedance At Minimum Operating Tempurature In Ohms:

2.0

# **Electrical Polarization:**

Polarized

#### Capacitance Value Per Section:

0.010 microfarads single section

#### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

## **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### Case Material:

Metal

# **Capacitive Electrode Material:**

Aluminum

# Dissipation Factor At Reference Tempurature In Percent:

6.000

## Dc Leakage At Reference Temp:

3.000 microamperes

# **Terminal Surface Treatment:**

Solder

## **Case Insulation Material:**

Plastic

Electrolytic Fixed Capacitor - Page 2 of 2



# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0