## NSN 5910-01-314-0678

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-314-0678

Body Style:					
W/o mtg facilities, terminal (s) on one surface					
Reliability Indicator:					
Not established					
Terminal Length:					
1.000 inches					
Body Length:					
0.420 inches					
Body Width:					
0.160 inches					
Body Height:					
0.330 inches					
Center To Center Distance Between Terminals Parallel To Length:					
0.300 inches					
Terminal Diameter:					
0.025 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
Capacitance Value Per Section:					
0.024 microfarads single section					
Nonderated Operating Temp:					
Between -55.0 degrees celsius and 85.0 degrees celsius					
Nonderated Continuous Voltage Rating And Type Per Section:					
50.0 dc single section					
Tolerance Range Per Section:					
-1.00/+1.00 percent single section					
-1.00/+1.00 percent single section					
Case Material:					
•					
Case Material:					
Case Material: Plastic					
Case Material: Plastic Insulation Resistance At Reference Temp:					
Case Material: Plastic Insulation Resistance At Reference Temp: 400000.0 megohms					
Case Material: Plastic Insulation Resistance At Reference Temp: 400000.0 megohms Dissipation Factor At Reference Tempurature In Percent:					
Case Material: Plastic Insulation Resistance At Reference Temp: 400000.0 megohms Dissipation Factor At Reference Tempurature In Percent: 0.050					
Case Material: Plastic Insulation Resistance At Reference Temp: 400000.0 megohms Dissipation Factor At Reference Tempurature In Percent: 0.050 Terminal Surface Treatment:					
Case Material: Plastic Insulation Resistance At Reference Temp: 400000.0 megohms Dissipation Factor At Reference Tempurature In Percent: 0.050 Terminal Surface Treatment: Solder					
Case Material:  Plastic  Insulation Resistance At Reference Temp:  400000.0 megohms  Dissipation Factor At Reference Tempurature In Percent:  0.050  Terminal Surface Treatment:  Solder  Dielectric Material:					
Case Material: Plastic Insulation Resistance At Reference Temp: 400000.0 megohms Dissipation Factor At Reference Tempurature In Percent: 0.050 Terminal Surface Treatment: Solder Dielectric Material: Plastic polycarbonate					
Case Material:  Plastic  Insulation Resistance At Reference Temp:  400000.0 megohms  Dissipation Factor At Reference Tempurature In Percent:  0.050  Terminal Surface Treatment:  Solder  Dielectric Material:  Plastic polycarbonate  Terminal Type And Quantity:					
Case Material:  Plastic  Insulation Resistance At Reference Temp:  400000.0 megohms  Dissipation Factor At Reference Tempurature In Percent:  0.050  Terminal Surface Treatment:  Solder  Dielectric Material:  Plastic polycarbonate  Terminal Type And Quantity:  2 uninsulated wire lead					

## NSN 5910-01-314-0678

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



	tariz	

No

Fiig:

A010b0