NSN 5910-01-314-5498



Electrolytic Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-01-314-5498 **Body Style:** W/o mtg facilities, terminal (s) on one end **Reliability Indicator:** Not established **Terminal Length:** 0.787 inches **Body Diameter:** 0.394 inches **Body Length:** 0.630 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.197 inches **Terminal Diameter:** 0.023 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Plain foil **Impedance At Minimum Operating Tempurature In Ohms:** 4.0 **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 4700.000 microfarads single section **Nonderated Operating Temp:** Between -40.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 6.3 dc single section **Tolerance Range Per Section:** -20.00/+20.00 percent single section Case Material: Metal **Capacitive Electrode Material:** Aluminum **Dissipation Factor At Reference Tempurature In Percent:** 22.000 Dc Leakage At Reference Temp:

Dc Leakage At Reference Tel
4.000 microamperes
Terminal Surface Treatment:
Solder
Case Insulation Material:

Plastic

NSN 5910-01-314-5498

Electrolytic Fixed Capacitor - Page 2 of 2



	Ī	erminal	Type	And	Quantit	y:
--	---	---------	------	-----	---------	----

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0