Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



NSN 5910-01-317-9950 View Online at https://aerobasegroup.com/nsn/5910-01-317-9950 **Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 6.0 millimeters **Body Length:** 31.5 millimeters **Body Width:** 34.5 millimeters **Body Height:** 17.0 millimeters

Center To Center Distance Between Terminals Parallel To Length:

27.5 millimeters

Terminal Diameter:

1.0 millimeters

Schematic Diagram Designator:

No common or grounded electrode (s)

Capacitance Value Per Section:

1.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

400.0 dc single section

Tolerance Range Per Section:

-5.00/+5.00 percent single section

Case Material:

Plastic

Insulation Resistance At Reference Temp:

300000.0 megohm-microfarads

Terminal Surface Treatment:

Solder

Dielectric Material:

Plastic polypropylene

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5910-01-317-9950

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Fiig:

A010b0