NSN 5910-01-318-4028

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-318-4028

Body Style:				
W/o mtg facilities, terminals on opposite surfaces				
Reliability Indicator:				
Not established				
Terminal Length:				
2.000 inches				
Body Length:				
0.580 inches				
Body Width:				
0.250 inches				
Body Height:				
0.350 inches				
Terminal Diameter:				
0.020 inches				
Schematic Diagram Designator:				
No common or grounded electrode (s)				
Insulation Resistance At Maximum Operating Temp:				
5000.0 megohm-microfarads				
Capacitance Value Per Section:				
0.056 microfarads single section				
Nonderated Operating Temp:				
Between -55.0 degrees celsius and 100.0 degrees celsius				
Nonderated Continuous Voltage Rating And Type Per Section:				
200.0 dc single section				
Tolerance Range Per Section:				
-10.00/+10.00 percent single section				
Case Material:				
Plastic				
Insulation Resistance At Reference Temp:				
50000.0 megohm-microfarads				
Dissipation Factor At Reference Tempurature In Percent:				
1.000				
Terminal Surface Treatment:				
Terminal Surface Treatment:				
Terminal Surface Treatment: Solder				
Terminal Surface Treatment: Solder Dielectric Material:				
Terminal Surface Treatment: Solder Dielectric Material: Plastic polyethylene terephthalate				
Terminal Surface Treatment: Solder Dielectric Material: Plastic polyethylene terephthalate Terminal Type And Quantity:				
Terminal Surface Treatment: Solder Dielectric Material: Plastic polyethylene terephthalate Terminal Type And Quantity: 2 uninsulated wire lead				

--

NSN 5910-01-318-4028

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Der	nilit	ariz	atio	n:

No

Fiig:

A010b0