NSN 5910-01-319-4776

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-319-4776 **Body Style:** Rotary **Terminal Length:** 0.118 inches **Body Diameter:** 0.410 inches **Body Height:** 0.354 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -1400.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -800.0/+800.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** Between 0.236 inches and 0.260 inches **Quality Factor At 25 Deg Celsius:** 200.0 **Fragility Factor:** Moderately rugged **Terminal Width:** 0.080 inches **Terminal Thickness:** 0.016 inches **End Application:** 7021-01-247-6079 computer, digital **Inclosure Type:** Encased **Adjustment Device Torque:** Between 0.560 inch-ounces and 5.600 inch-ounces **Insulation Dc Resistance At Max Operating Temp:** 10000.0 megohms **Mounting Facility Type And Quantity: Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +12.0/+100.0 single section **Nonderated Voltage Rating And Type:** 250.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw Material:

Ceramic capacitive electrode

NSN 5910-01-319-4776

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Terminal Type And Quantity:
3 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A096a0