NSN 5910-01-319-5196

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-319-5196

Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Terminal Length:
0.250 inches
Body Diameter:
2.563 inches
Body Length:
4.500 inches
Center To Center Distance Between Terminals Parallel To Diameter:
1.125 inches
Terminal Diameter:
0.190 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Plain foil
Impedance At Minimum Operating Tempurature In Ohms:
2.0
Electrical Polarization:
Polarized
End Application:
4935-00-930-7250 test station, gu
Capacitance Value Per Section:
2000.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Dc Leakage At Maximum Operating Temp:
7.0 microamperes
Nonderated Continuous Voltage Rating And Type Per Section:
150.0 dc single section
Tolerance Range Per Section:
-10.00/+50.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Equivalent Series Resistance At Reference Tempurature In Ohms:
0.008

4.000 microamperes

Dc Leakage At Reference Temp:

NSN 5910-01-319-5196 Electrolytic Fixed Capacitor - Page 2 of 2



Fiig: A010b0