Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-321-1874

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

Terminal Length:

6.0 millimeters

Body Length:

7.2 millimeters

#### **Body Width:**

6.0 millimeters

#### **Body Height:**

4.5 millimeters

### Center To Center Distance Between Terminals Parallel To Length:

5.0 millimeters

**Terminal Diameter:** 

0.5 millimeters

# Schematic Diagram Designator:

No common or grounded electrode (s)

## Internal Electrical Connection Type:

Extended foil

## **End Application:**

6625-01-238-2000 multimeter

## Insulation Resistance At Maximum Operating Temp:

10000.0 megohms

### **Capacitance Value Per Section:**

4700.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

63.0 dc single section

### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

### **Case Material:**

Plastic

### Insulation Resistance At Reference Temp:

100000.0 megohms

## **Terminal Surface Treatment:**

Solder

# **Dielectric Material:**

Plastic polypropylene

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0