## NSN 5910-01-321-3594

Electrolytic Fixed Capacitor - Page 1 of 2



_	
	View Online at https://aerobasegroup.com/nsn/5910-01-321-3594
	Body Style:
	W/o mtg facilities, axial terminals
	Reliability Indicator:
	Not established
	Terminal Length:
	Between 1.385 inches and 1.625 inches
	Body Diameter:
	Between 0.175 inches and 0.195 inches
	Body Length:
	Between 0.443 inches and 0.505 inches
	Terminal Diameter:
	0.020 inches
	Schematic Diagram Designator:
	No common or grounded electrode (s)
	Anode Type:
	Solid
	Electrical Polarization:
	Polarized
	Features Provided:
	Hermetically sealed case
	Capacitance Value Per Section:
	4.700 microfarads single section
	Nonderated Operating Temp:
	Between -55.0 degrees celsius and 85.0 degrees celsius
	Nonderated Continuous Voltage Rating And Type Per Section:
	15.0 dc single section
	Tolerance Range Per Section:
	-10.00/+10.00 percent single section
	Case Material:
	Metal
	Capacitive Electrode Material:
	Tantalum
	Dissipation Factor At Reference Tempurature In Percent:
	4.000
	Dc Leakage At Reference Temp:
	1.000 microamperes
	Terminal Surface Treatment:
	Solder
	Case Insulation Material:
	Plastic
	Torminal Tune And Quantity

**Terminal Type And Quantity:** 2 uninsulated wire lead

## NSN 5910-01-321-3594

Electrolytic Fixed Capacitor - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0