NSN 5910-01-324-2308

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-324-2308 **Body Style: Dual inline Reliability Indicator:** Not established **Terminal Length:** 0.100 inches **Body Length:** 1.050 inches **Body Width:** 0.500 inches **Body Height:** 0.520 inches Center To Center Distance Between Terminals Parallel To Length: 0.850 inches **Center To Center Distance Between Terminals Parallel To Width:** 0.100 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **End Application:** 5805-01-188-3993 central office **Section Quantity:** 5 **Capacitance Value Per Section:** 4.000 microfarads all sections **Voltage Tempurature Limits Per Section In Percent Capacitance Change:** -15.0/+15.0 without voltage applied all sections **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 500.0 dc all sections **Tolerance Range Per Section:** -10.00/+10.00 percent all sections **Case Material:** Ceramic **Insulation Resistance At Reference Temp:** 100000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 2.500 **Terminal Surface Treatment:**

Solder

Terminal Type And Quantity:

20 printed circuit

NSN 5910-01-324-2308

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0