## NSN 5910-01-324-2412

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-324-2412 **Body Style:** Rotary **Terminal Length:** Between 0.167 inches and 0.187 inches **Overall Height:** 0.091 inches **Overall Diameter:** Between 0.116 inches and 0.136 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -30.0/+30.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** Between 0.124 inches and 0.144 inches **Quality Factor At 25 Deg Celsius:** 1000.0 **Terminal Width:** 0.031 inches **Terminal Thickness:** 0.004 inches and 0.006 inches **Inclosure Type: Encased Adjustment Device Torque:** Between 0.200 inch-ounces and 1.500 inch-ounces **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius **Capacitance Range In Picofarads:** +1.5/+6.0 single section **Nonderated Voltage Rating And Type:** 25.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:** 2 ribbon Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5910-01-324-2412

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0