NSN 5910-01-325-9379

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-325-9379

Body Style:

W/thd body mtg, axial terminals

Reliability Indicator:

Not established

Terminal Length:

Between 0.380 inches and 0.420 inches

Unable To Decode:

Unable to decode and unable to decode

Unable To Decode:

Unable to decode and unable to decode

Body Diameter:

Between 0.865 inches and 0.885 inches

Body Length:

Between 0.980 inches and 1.020 inches

Schematic Diagram Designator:

Feedthrough

Unf

Mounting Facility Screw Thread Series Designator:

Mounting Facility Type And Quantity:

2 threaded bushing

Features Provided:

Mounting hardware

Capacitance Value Per Section:

0.100 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Thread Size:

0.625 inches

Nonderated Continuous Voltage Rating And Type Per Section:

400.0 dc single section

Tolerance Range Per Section:

-0.00/+100.00 percent single section

Thread Tolerance Class:

2a external

Case Material:

Metal

Insulation Resistance At Reference Temp:

1000.0 megohms

Terminal Surface Treatment:

Silver

Precious Material And Location:

Body and terminal surfaces silver

NSN 5910-01-325-9379

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A010b0