NSN 5910-01-326-4287

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-326-4287

·	
Body Style:	
W/o mtg facilities terminal (s) on one surface	
Reliability Indicator:	
Not established	
Terminal Length:	
0.500 inches	
Body Length:	
0.550 inches	
Body Width:	
0.300 inches	
Body Height:	
0.180 inches	
Center To Center Distance Between Terminals Parallel To Len	gth
Between 0.385 inches and 0.415 inches	
Terminal Diameter:	
0.025 inches	
Schematic Diagram Designator:	
No common or grounded electrode (s)	
Insulation Resistance At Maximum Operating Temp:	
100.0 megohms	
Capacitance Value Per Section:	
0.220 microfarads single section	
Nonderated Operating Temp:	
Between -55.0 degrees celsius and 125.0 degrees celsius	
Nonderated Continuous Voltage Rating And Type Per Section	:
50.0 dc single section	
Tolerance Range Per Section:	
-2.00/+2.00 percent single section	
Case Material:	
Plastic	
Insulation Resistance At Reference Temp:	
50000.0 megohms	
Dissipation Factor At Reference Tempurature In Percent:	
0.300	
Terminal Surface Treatment:	
Solder	
Dielectric Material:	
Plastic polycarbonate	
Terminal Type And Quantity:	
2 uninsulated wire lead	
Shelf Life:	

N/a

NSN 5910-01-326-4287

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



		• -						
	In		Of	RЛ	മാ	CI	ır	Δ.
L	,,,			IVI	ca			

--

Demilitarization:

No

Fiig:

A010b0