NSN 5910-01-326-6720

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-326-6720

Body Style: W/o mtg facilities, terminal (s) on one end Reliability Indicator: Not established **Terminal Length:** Between 0.061 inches and 0.125 inches **Body Diameter:** 2.578 inches **Body Length:** 3.125 inches **Center To Center Distance Between Terminals Parallel To Diameter:** Between 1.109 inches and 1.141 inches **Terminal Diameter:** 0.250 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Plain foil **Impedance At Minimum Operating Tempurature In Ohms:** 2.0 **Electrical Polarization:** Polarized **Features Provided:** Burn in **Capacitance Value Per Section:** 0.750 microfarads single section **Nonderated Operating Temp:** Between -40.0 degrees celsius and 85.0 degrees celsius **Dc Leakage At Maximum Operating Temp:**

4.9 microamperes

Nonderated Continuous Voltage Rating And Type Per Section:

400.0 dc single section

Tolerance Range Per Section:

-10.00/+30.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Equivalent Series Resistance At Reference Tempurature In Ohms:

0.30

Dc Leakage At Reference Temp:

1.500 microamperes

NSN 5910-01-326-6720

Electrolytic Fixed Capacitor - Page 2 of 2



Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 threaded hole
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0