NSN 5910-01-329-7850

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-329-7850

Body Style: Dual inline Reliability Indicator: Not established **Unable To Decode:** Unable to decode and unable to decode **Terminal Length:** 0.215 inches **Body Length:** Between 0.225 inches and 0.275 inches **Body Width:** 0.300 inches **Body Height:** 0.120 inches **Center To Center Distance Between Terminals Parallel To Length:** Between 0.200 inches and 0.275 inches Center To Center Distance Between Terminals Parallel To Width: Between 0.225 inches and 0.275 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **End Application:** 5805-01-188-3993 central office **Section Quantity: Capacitance Value Per Section:** 0.010 microfarads all sections **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: 0.0 all sections Nonderated Continuous Voltage Rating And Type Per Section: 500.0 dc all sections **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -30.0/+30.0 all sections **Tolerance Range Per Section:** -10.00/+10.00 percent all sections **Case Material:** Ceramic **Insulation Resistance At Reference Temp:** 100000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:**

0.150

NSN 5910-01-329-7850

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Fiig: A010b0