NSN 5910-01-330-8634

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/psp/5010-01-330-863/

View Online at https://aerobasegroup.com/nsn/5910-01-330-8634
Body Style:
W/o mtg facilities, axial terminals
Reliability Indicator:
Not established
Terminal Length:
1.620 inches
Body Diameter:
Between 0.400 inches and 0.420 inches
Body Length:
1.013 inches
Continuous Current Rating In Amps:
2.5
Terminal Diameter:
Between 0.031 inches and 0.033 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Features Provided:
Burn in and hermetically sealed case
Insulation Resistance At Maximum Operating Temp:
30000.0 megohms
Capacitance Value Per Section:
0.027 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 100.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
400.0 dc single section
Tolerance Range Per Section:
-5.00/+5.00 percent single section
Case Material:
Metal
Insulation Resistance At Reference Temp:
300000.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
0.150
Terminal Surface Treatment:
Solder
Dielectric Material:
Plastic polycarbonate
Case Insulation Material:
Plastic

Terminal Type And Quantity:

2 uninsulated wire lead

NSN 5910-01-330-8634

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0