## NSN 5910-01-330-9195

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-330-9195

**Body Style:** 

W/o mtg facilities, axial terminals

**Reliability Indicator:** 

Not established

**Terminal Length:** 

Between 0.938 inches and 1.062 inches

**Body Diameter:** 

Between 0.870 inches and 0.900 inches

**Body Length:** 

Between 3.078 inches and 3.202 inches

**Center To Center Distance Between Terminals Parallel To Diameter:** 

Between 0.285 inches and 0.315 inches

**Terminal Diameter:** 

0.040 inches

**Schematic Diagram Designator:** 

Electrod (s) grounded to case, w/gnd ter minal

**Anode Type:** 

Plain foil

**Electrical Polarization:** 

Polarized

**End Application:** 

Tactical air operations module, an/tyq-2 (v) 1

**Features Provided:** 

Burn in

**Capacitance Value Per Section:** 

240.000 microfarads single section

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 105.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

275.0 dc single section

**Tolerance Range Per Section:** 

-10.00/+30.00 percent single section

**Case Material:** 

Metal

**Capacitive Electrode Material:** 

Aluminum

**Terminal Surface Treatment:** 

Solder

**Case Insulation Material:** 

Plastic

**Terminal Type And Quantity:** 

3 uninsulated wire lead

## NSN 5910-01-330-9195

Electrolytic Fixed Capacitor - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0