## NSN 5910-01-331-7585

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-331-7585

**Body Style:** W/o mtg facilities, terminal (s) on one surface **Reliability Indicator:** Not established **Body Length:** 4.562 inches **Body Width:** 2.844 inches **Body Height:** 5.380 inches **Terminal Diameter:** 1.250 inches **Terminal Height From Body:** 2.000 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Internal Electrical Connection Type:** Extended foil **Mounting Facility Screw Thread Series Designator:** Un **Mounting Facility Type And Quantity:** 2 threaded mounting studs **Capacitance Value Per Section:** 15.000 microfarads single section **Nonderated Operating Temp:** Between -40.0 degrees celsius and 80.0 degrees celsius **Thread Size:** 1.250 inches Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: 0.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 500.0 ac-rms single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -3.0/+3.0 single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section **Case Material:** Metal **Insulation Resistance At Reference Temp:** 10000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 

0.200

## NSN 5910-01-331-7585

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Terminal Surface Treatment:
Solder
Dielectric Material:
Plastic polypropylene
Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 standoff, threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0