NSN 5910-01-332-0306

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-332-0306

Body Style:

Piston

Overall Length:

Between 0.523 inches and 0.539 inches

Terminal Length:

Between 0.172 inches and 0.282 inches

Body Length:

Between 0.273 inches and 0.289 inches

Overall Diameter:

Between 0.130 inches and 0.160 inches

Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:

0.0 single section

Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:

-50.0/+50.0 single section

Center To Center Distance Between Terminals Parallel To Length:

Between 0.235 inches and 0.297 inches

Terminal Diameter:

0.030 inches

Quality Factor At 25 Deg Celsius:

7500.0

Fragility Factor:

Moderately rugged

Inclosure Type:

Encased

Tuning Characteristic:

Straight line capacity single section

Adjustment Device Torque:

Between 0.300 inch-ounces and 3.000 inch-ounces

Insulation Dc Resistance At 25 Deg Celsius:

1000000.0 megohms

Mounting Facility Type And Quantity:

2 terminal

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Capacitance Range In Picofarads:

+0.5/+5.0 single section

Nonderated Voltage Rating And Type:

250.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Capacitance Drift In Picofarads:

0.50 single section

NSN 5910-01-332-0306

Air Dielectric Variable Capacitor - Page 2 of 2



Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A096a0