NSN 5910-01-332-4395

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-332-4395 **Body Style:** W/o mtg facilities, axial terminals Reliability Indicator: Not established **Terminal Length:** 0.790 inches **Body Diameter:** 0.310 inches **Body Length:** 0.790 inches **Terminal Diameter:** 0.025 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Solid **Impedance At Minimum Operating Tempurature In Ohms:** 3.0 **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 470.000 microfarads single section **Nonderated Operating Temp:** Between -40.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 10.0 dc single section **Tolerance Range Per Section:** -20.00/+20.00 percent single section **Case Material: Plastic Capacitive Electrode Material: Dissipation Factor At Reference Tempurature In Percent:** 0.190 **Equivalent Series Resistance At Reference Tempurature In Ohms:** 0.536 Dc Leakage At Reference Temp: 4.000 microamperes **Terminal Surface Treatment:**

Solder

Terminal Type And Quantity:

2 uninsulated wire lead

NSN 5910-01-332-4395

Electrolytic Fixed Capacitor - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0