NSN 5910-01-332-4557

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-332-4557

Body Style:

Rotary

Terminal Length:

Between 0.098 inches and 0.138 inches

Body Length:

Between 0.220 inches and 0.240 inches

Body Width:

Between 0.193 inches and 0.217 inches

Body Height:

0.217 inches

Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:

-100.0 single section

Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:

-200.0/+200.0 single section

Center To Center Distance Between Terminals Parallel To Diameter:

0.200 inches

Quality Factor At 25 Deg Celsius:

300.0

Terminal Width:

Between 0.035 inches and 0.045 inches

Inclosure Type:

Encased

Adjustment Device Torque:

Between 0.400 inch-ounces and 2.000 inch-ounces

Insulation Dc Resistance At 25 Deg Celsius:

10000.0 megohms

Mounting Facility Type And Quantity:

2 terminal

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Capacitance Range In Picofarads:

+2.0/+6.0 single section

Nonderated Voltage Rating And Type:

250.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Material:

Ceramic base

Terminal Type And Quantity:

2 printed circuit

Shelf Life:

N/a

NSN 5910-01-332-4557

Ceramic Dielectric Variable Capacitor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A096a0