NSN 5910-01-332-7988

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-332-7988 **Body Style: Dual inline Reliability Indicator:** Not established **Terminal Length:** 0.148 inches **Body Length:** Between 1.025 inches and 1.075 inches **Body Width:** 0.215 inches **Body Height:** 0.650 inches Center To Center Distance Between Terminals Parallel To Length: 0.100 inches **Center To Center Distance Between Terminals Parallel To Width:** Between 0.425 inches and 0.475 inches **Terminal Diameter:** 0.020 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **End Application:** Tactical air operations module **Insulation Resistance At Maximum Operating Temp:** 10000.0 megohms **Capacitance Value Per Section:** 50.000 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section **Case Material:** Plastic **Insulation Resistance At Reference Temp:** 100000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 2.500 **Terminal Surface Treatment:**

Terminal Surface Treatment

Solder

Terminal Type And Quantity:

14 uninsulated wire lead

NSN 5910-01-332-7988

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0