Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-334-1326

## Body Style:

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

# Terminal Length:

6.0 millimeters

## Body Length:

7.2 millimeters

#### **Body Width:**

7.0 millimeters

#### **Body Height:**

2.5 millimeters

## Center To Center Distance Between Terminals Parallel To Length:

5.0 millimeters

#### **Terminal Diameter:**

0.5 millimeters

## Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

0.015 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 100.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

63.0 dc single section

#### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Plastic

# Insulation Resistance At Reference Temp:

10000.0 megohms

# **Terminal Surface Treatment:**

Solder

# **Dielectric Material:**

Plastic polyethylene terephthalate

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

# NSN 5910-01-334-1326 Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



**Fiig:** A010b0