## NSN 5910-01-337-0038

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-337-0038
Body Style:
Piston
Overall Length:
0.310 inches
Terminal Length:
0.200 inches
Body Length:
0.240 inches
Overall Diameter:
0.118 inches
Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:
0.0 single section
Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:
-50.0/+50.0 single section
Quality Factor At 25 Deg Celsius:
4000.0
Inclosure Type:
Encased
Adjustment Device Rotation:
600.0 turns clockwise
Adjustment Device Torque:
Between 0.200 inch-ounces and 2.000 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
100000.0 megohms
Mounting Facility Type And Quantity:
2 terminal
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Capacitance Range In Picofarads:
+0.4/+2.5 single section
Nonderated Voltage Rating And Type:
500.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Material:
Metal base
Precious Material And Location:
Terminal surfaces gold
Precious Material:
Gold
Terminal Type And Quantity:

2 wire lead

## NSN 5910-01-337-0038

Glass Dielectric Variable Capacitor - Page 2 of 2



Shelf Life:	She	lf	Life:
-------------	-----	----	-------

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A096a0