## NSN 5910-01-338-0668

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-338-0668

**Body Style:** 

W/o mtg facilities, terminal (s) on one end

Reliability Indicator:

Not established

**Terminal Length:** 

Between 0.023 inches and 0.087 inches

**Body Diameter:** 

Between 1.360 inches and 1.422 inches

**Body Length:** 

Between 2.602 inches and 2.728 inches

**Center To Center Distance Between Terminals Parallel To Diameter:** 

Between 0.484 inches and 0.516 inches

**Terminal Diameter:** 

0.190 inches

**Schematic Diagram Designator:** 

No common or grounded electrode (s)

**Electrical Polarization:** 

Polarized

**End Application:** 

5895-01-177-0791 receiver-transm

**Features Provided:** 

Burn in

**Capacitance Value Per Section:** 

6300.000 microfarads single section

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

35.0 dc single section

**Tolerance Range Per Section:** 

-20.00/+20.00 percent single section

**Case Material:** 

Metal

**Capacitive Electrode Material:** 

Aluminum

**Equivalent Series Resistance At Reference Tempurature In Ohms:** 

0.0064

Dc Leakage At Reference Temp:

1.300 milliamperes

**Case Insulation Material:** 

Plastic

**Terminal Type And Quantity:** 

2 threaded hole

## NSN 5910-01-338-0668

Electrolytic Fixed Capacitor - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0