## NSN 5910-01-338-9229



Plastic Dielectric Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-01-338-9229 **Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 30.0 millimeters **Body Length:** 27.0 millimeters **Body Width:** 18.0 millimeters **Body Height:** 10.0 millimeters Center To Center Distance Between Terminals Parallel To Length: 22.5 millimeters **Terminal Diameter:** 0.9 millimeters **Schematic Diagram Designator:** No common or grounded electrode (s) **Internal Electrical Connection Type:** Extended foil **End Application:** 6625-01-270-7786 analyzer, spectr **Capacitance Value Per Section:** 1.000 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 160.0 dc single section **Tolerance Range Per Section:** -5.00/+5.00 percent single section **Case Material: Plastic Insulation Resistance At Reference Temp:** 10000.0 megohms **Power Factor At Reference Tempurature In Percent:** 1000.000 **Terminal Surface Treatment:** Solder **Dielectric Material:** Plastic polypropylene

**Terminal Type And Quantity:** 

2 uninsulated wire lead

## NSN 5910-01-338-9229

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:	She	lf	Life:
-------------	-----	----	-------

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0