NSN 5910-01-339-7770

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-339-7770

Body Style: W/o mtg facilities, terminal (s) on one end **Reliability Indicator:** Not established **Terminal Length:** Between 0.031 inches and 0.095 inches **Body Diameter:** 1.453 inches **Body Length:** 2.250 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.500 inches **Terminal Diameter:** 0.190 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Plain foil **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 150.000 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Dc Leakage At Maximum Operating Temp: 9.0 microamperes Nonderated Continuous Voltage Rating And Type Per Section: 250.0 dc single section **Tolerance Range Per Section:** -10.00/+75.00 percent single section Case Material: Metal **Capacitive Electrode Material:** Aluminum **Equivalent Series Resistance At Reference Tempurature In Ohms:** 0.79 Dc Leakage At Reference Temp: 1.350 microamperes **Case Insulation Material: Plastic**

2 threaded hole

Terminal Type And Quantity:

NSN 5910-01-339-7770

Electrolytic Fixed Capacitor - Page 2 of 2



She	lf	I if	ρ.
~	•••		•

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0