Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-340-9073

## **Body Style:**

W/o mtg facilities, terminal (s) on one end

### **Reliability Indicator:**

Not established

## **Terminal Length:**

25.0 millimeters

#### **Body Diameter:**

5.0 millimeters

#### **Body Length:**

11.0 millimeters

#### Center To Center Distance Between Terminals Parallel To Length:

Between 1.5 millimeters and 2.5 millimeters

#### **Terminal Diameter:**

0.5 millimeters

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Plain foil

## **Electrical Polarization:**

Polarized

## **Features Provided:**

Burn in

## Capacitance Value Per Section:

10.000 microfarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 105.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

#### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### **Case Material:**

Metal

# Capacitive Electrode Material:

Aluminum

# Dc Leakage At Reference Temp:

2.000 microamperes

# **Terminal Surface Treatment:**

Solder

# Case Insulation Material:

Plastic

# Terminal Type And Quantity:

2 uninsulated wire lead

Electrolytic Fixed Capacitor - Page 2 of 2



## **Specification Data:**

10933-1-001-0302-0029 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0