## NSN 5910-01-342-0722

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-342-0722

view Online at https://aerobasegroup.com/nsn/5910-01-342-0722
Body Style:
W/mtg tabs/flanges terminal (s) on one surface
Reliability Indicator:
Not established
Terminal Length:
0.500 inches
Body Length:
6.520 inches
Body Width:
0.860 inches
Body Height:
6.050 inches
Terminal Diameter:
0.112 inches
Unthreaded Mounting Hole Diameter:
Between 0.135 inches and 0.145 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Plain foil
Electrical Polarization:
Polarized
Mounting Facility Type And Quantity:
7 unthreaded mounting holes
Capacitance Value Per Section:
2464.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 91.0 degrees celsius
Dc Leakage At Maximum Operating Temp:
2640.0 microamperes
Nonderated Continuous Voltage Rating And Type Per Section:
150.0 dc single section
Tolerance Range Per Section:
-10.00/+75.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum

**Equivalent Series Resistance At Reference Tempurature In Ohms:** 

0.05

Dc Leakage At Reference Temp:

440.000 microamperes

## NSN 5910-01-342-0722

Electrolytic Fixed Capacitor - Page 2 of 2



<b>Terminal Surface Treatment:</b>
Solder
Terminal Type And Quantity:
2 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0