

View Online at <https://aerobasegroup.com/nsn/5910-01-342-0722>

Body Style:

W/mtg tabs/flanges terminal (s) on one surface

Reliability Indicator:

Not established

Terminal Length:

0.500 inches

Body Length:

6.520 inches

Body Width:

0.860 inches

Body Height:

6.050 inches

Terminal Diameter:

0.112 inches

Unthreaded Mounting Hole Diameter:

Between 0.135 inches and 0.145 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Anode Type:

Plain foil

Electrical Polarization:

Polarized

Mounting Facility Type And Quantity:

7 unthreaded mounting holes

Capacitance Value Per Section:

2464.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 91.0 degrees celsius

Dc Leakage At Maximum Operating Temp:

2640.0 microamperes

Nonderated Continuous Voltage Rating And Type Per Section:

150.0 dc single section

Tolerance Range Per Section:

-10.00/+75.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Equivalent Series Resistance At Reference Temperature In Ohms:

0.05

Dc Leakage At Reference Temp:

440.000 microamperes

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A010b0