

View Online at <https://aerobasegroup.com/nsn/5910-01-342-2802>

Body Style:

Rotary

Terminal Length:

Between 0.250 inches and 0.280 inches

Overall Height:

Between 0.140 inches and 0.180 inches

Overall Diameter:

Between 0.208 inches and 0.228 inches

Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.197 inches and 0.203 inches

Quality Factor At 25 Deg Celsius:

500.0

Terminal Width:

0.040 inches

Terminal Thickness:

0.008 inches

End Application:

6625-01-258-2893 tester, semicond

Inclosure Type:

Encased

Adjustment Device Torque:

Between 0.500 inch-ounces and 3.000 inch-ounces

Mounting Facility Type And Quantity:

2 terminal

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Capacitance Range In Picofarads:

+3.0/+15.0 single section

Nonderated Voltage Rating And Type:

100.0 dc continuous single section

Capacitance Change In Percent At Operating Temperature From 25 Deg Celsius:

-4.50/+2.00 single section and -4.20/+3.40 single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Material:

Ceramic capacitive electrode

Precious Material And Location:

All metal surfaces silver

Precious Material:

Silver

Terminal Type And Quantity:

2 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0