## NSN 5910-01-345-4156

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-345-4156

Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Terminal Length:
0.094 inches
Body Diameter:
2.578 inches
Body Length:
4.250 inches
Center To Center Distance Between Terminals Parallel To Diameter:
Between 1.109 inches and 1.141 inches
Terminal Diameter:
0.190 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Plain foil
Impedance At Minimum Operating Tempurature In Ohms:
0.1
Electrical Polarization:
Polarized
Features Provided:
Burn in
Capacitance Value Per Section:
2000.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 105.0 degrees celsius
Dc Leakage At Maximum Operating Temp:
18.0 microamperes
Nonderated Continuous Voltage Rating And Type Per Section:
250.0 dc single section
Tolerance Range Per Section:
-10.00/+50.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Equivalent Series Resistance At Reference Tempurature In Ohms:
0.056

3.000 microamperes

Dc Leakage At Reference Temp:

## NSN 5910-01-345-4156

Electrolytic Fixed Capacitor - Page 2 of 2



Case Insulation Material:
Plastic
Terminal Type And Quantity:
2 threaded hole
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0