NSN 5910-01-348-2032

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-348-2032

Body Style:					
W/o mtg facilities, axial terminals					
Reliability Indicator:					
Not established					
Terminal Length:					
1.000 inches					
Body Diameter:					
0.187 inches					
Body Length:					
0.500 inches					
Terminal Diameter:					
0.020 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
Capacitance Value Per Section:					
0.015 microfarads single section					
Nonderated Operating Temp:					
Between -55.0 degrees celsius and 85.0 degrees celsius					
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:					
0.0 single section					
Nonderated Continuous Voltage Rating And Type Per Section:					
100.0 dc single section					
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:					
-1.6/+0.1 single section					
Tolerance Range Per Section:					
-5.00/+5.00 percent single section					
Case Material:					
Plastic					
Insulation Resistance At Reference Temp:					
10000.0 megohms					
Dissipation Factor At Reference Tempurature In Percent:					
0.300					
Terminal Surface Treatment:					
Solder					
Dielectric Material:					
Plastic polycarbonate					
Terminal Type And Quantity:					
2 uninsulated wire lead					
Shelf Life:					
N/a					
Unit Of Measure:					

--

NSN 5910-01-348-2032

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



	tariz	

No

Fiig:

A010b0