## NSN 5910-01-349-0001

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-349-0001

Body Style:					
W/o mtg facilities, terminal (s) on one end					
Reliability Indicator:					
Not established					
Terminal Length:					
Between 0.208 inches and 0.288 inches					
Body Diameter:					
1.004 inches					
Body Length:					
1.969 inches					
Center To Center Distance Between Terminals Parallel To Diameter:					
0.394 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
Anode Type:					
Plain foil					
Impedance At Minimum Operating Tempurature In Ohms:					
12.0					
Electrical Polarization:					
Polarized					
Capacitance Value Per Section:					
10000.000 microfarads single section					
Nonderated Operating Temp:					
Between -40.0 degrees celsius and 85.0 degrees celsius					
Nonderated Continuous Voltage Rating And Type Per Section:					
25.0 dc single section					
Tolerance Range Per Section:					
-10.00/+30.00 percent single section					
Case Material:					
Metal					
Capacitive Electrode Material:					
Aluminum					
Dissipation Factor At Reference Tempurature In Percent:					
0.350					
Dc Leakage At Reference Temp:					
3.000 milliamperes					
Terminal Surface Treatment:					
Solder					
Case Insulation Material:					
Plastic					
Terminal Type And Quantity:					

2 printed circuit

## NSN 5910-01-349-0001

Electrolytic Fixed Capacitor - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0