# NSN 5910-01-349-0009

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-349-0009

#### **Body Style:**

W/o mtg facilities, terminal (s) on one end

#### **Reliability Indicator:**

Not established

## **Terminal Length:**

0.420 inches

#### **Body Diameter:**

0.413 inches

#### **Body Length:**

0.551 inches

#### Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.178 inches and 0.216 inches

#### **Terminal Diameter:**

0.023 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Plain foil

#### Impedance At Minimum Operating Tempurature In Ohms:

4.0

## **Electrical Polarization:**

Polarized

#### Capacitance Value Per Section:

220.000 microfarads single section

#### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

16.0 dc single section

#### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### Case Material:

Metal

## **Capacitive Electrode Material:**

Aluminum

# Dissipation Factor At Reference Tempurature In Percent:

16.000

# Dc Leakage At Reference Temp:

105.600 microamperes

# **Terminal Surface Treatment:**

Solder

# Case Insulation Material:

Plastic

Electrolytic Fixed Capacitor - Page 2 of 2



# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0