## NSN 5910-01-352-3331

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-352-3331 **Body Style: Dual inline Reliability Indicator:** Not established **Terminal Length:** 0.100 inches **Body Length:** 1.100 inches **Body Width:** 0.500 inches **Body Height:** 0.310 inches **Center To Center Distance Between Terminals Parallel To Length:** 0.900 inches **Center To Center Distance Between Terminals Parallel To Width:** Between 0.385 inches and 0.435 inches **Terminal Diameter:** Between 0.015 inches and 0.025 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Features Provided:** Burn in **Capacitance Value Per Section:** 8.000 microfarads single section **Voltage Tempurature Limits Per Section In Percent Capacitance Change:** -15.0/+15.0 without voltage applied single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 100.0 dc single section **Tolerance Range Per Section:** -20.00/+20.00 percent single section **Case Material:** Plastic Insulation Resistance At Reference Temp: 100000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 2.500 **Terminal Surface Treatment:** 

**Terminal Surface Treatment**Solder

**Terminal Type And Quantity:** 

10 pin

## NSN 5910-01-352-3331

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0