

View Online at <https://aerobasegroup.com/nsn/5910-01-354-0208>

Body Style:

W/o mtg facilities, terminal (s) on one surface

Reliability Indicator:

Not established

Terminal Length:

Between 1.000 inches and 2.000 inches

Body Length:

Between 1.000 inches and 1.300 inches

Body Width:

Between 0.700 inches and 0.800 inches

Body Height:

Between 0.150 inches and 0.290 inches

Center To Center Distance Between Terminals Parallel To Width:

Between 0.480 inches and 0.520 inches

Terminal Diameter:

Between 0.039 inches and 0.041 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Insulation Resistance At Maximum Operating Temp:

400.0 megohms

Capacitance Value Per Section:

1.600 microfarads single section

Voltage Temperature Limits Per Section In Percent Capacitance Change:

-65.0/+10.0 with 500 volts applied single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 100.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

Tolerance Range Per Section:

-0.20/+0.20 microfarads single section

Case Material:

Plastic

Insulation Resistance At Reference Temp:

4000.0 megohms

Dissipation Factor At Reference Temperature In Percent:

2.500

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0