NSN 5910-01-356-7213



Plastic Dielectric Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-01-356-7213 **Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 6.0 millimeters **Body Length:** 10.0 millimeters **Body Width:** 8.5 millimeters **Body Height:** 3.0 millimeters Center To Center Distance Between Terminals Parallel To Length: 7.5 millimeters **Terminal Diameter:** 0.5 millimeters **Schematic Diagram Designator:** No common or grounded electrode (s) **Internal Electrical Connection Type:** Extended foil **End Application:** 6625-01-260-9228 analyzer, distortion **Capacitance Value Per Section:** 820.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 100.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 160.0 dc single section **Tolerance Range Per Section:** -5.00/+5.00 percent single section Case Material: **Plastic Insulation Resistance At Reference Temp:** 100000.0 megohms **Terminal Surface Treatment:** Solder **Dielectric Material:** Plastic polycarbonate **Terminal Type And Quantity:** 2 printed circuit

Terminal Ty 2 printed cir Shelf Life: N/a

NSN 5910-01-356-7213

Plastic Dielectric Fixed Capacitor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A010b0