

View Online at https://aerobasegroup.com/nsn/5910-01-358-8416

## **Body Style:**

W/o mtg facilities, radial terminals

### **Reliability Indicator:**

Not established

# **Terminal Length:**

1.250 inches

### **Body Diameter:**

0.511 inches

### **Body Length:**

0.276 inches

### Center To Center Distance Between Terminals Parallel To Diameter:

0.374 inches

#### **Terminal Diameter:**

0.025 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

# **Capacitance Value Per Section:**

100.000 picofarads single section

# Nonderated Operating Temp:

85.0 degrees celsius

# Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-750.0 single section

# Nonderated Continuous Voltage Rating And Type Per Section:

6000.0 dc single section

# Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-120.0/+120.0 single section

#### **Criticality Code Justification:**

Zzzy

#### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Plastic

### Insulation Resistance At Reference Temp:

10000.0 megohms

# **Terminal Surface Treatment:**

Solder

## **Special Features:**

Item must comply with requirements of defense supply center columbus production standard no. Lo4757

### **Terminal Type And Quantity:**

2 uninsulated wire lead

### **Reference Number Differentiating Characteristics:**

Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp.



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0