Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-359-7534

#### **Body Style:**

W/o mtg facilities, axial terminals

## **Reliability Indicator:**

Not established

## Terminal Length:

1.380 inches

#### **Body Diameter:**

0.315 inches

#### **Body Length:**

0.787 inches

## **Terminal Diameter:**

0.024 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Plain foil

#### **Electrical Polarization:**

Polarized

#### **Capacitance Value Per Section:**

22.000 microfarads single section

## Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

## Dc Leakage At Maximum Operating Temp:

207.0 microamperes

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

#### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### **Case Material:**

Metal

#### **Capacitive Electrode Material:**

Aluminum

## **Dissipation Factor At Reference Tempurature In Percent:**

0.800

## Equivalent Series Resistance At Reference Tempurature In Ohms:

5.36

## Dc Leakage At Reference Temp:

14.000 microamperes

## **Terminal Surface Treatment:**

Solder

## **Case Insulation Material:**

Plastic

Electrolytic Fixed Capacitor - Page 2 of 2



# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0