NSN 5910-01-363-1436

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-363-1436 **Body Style: Dual inline Reliability Indicator:** Not established **Terminal Length:** Between 0.060 inches and 0.080 inches **Body Length:** Between 0.224 inches and 0.275 inches **Body Width:** 0.300 inches **Body Height:** 0.240 inches **Center To Center Distance Between Terminals Parallel To Width:** Between 0.225 inches and 0.275 inches **Terminal Diameter:** 0.010 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Insulation Resistance At Maximum Operating Temp:** 10000.0 megohms **Capacitance Value Per Section:** 1.500 microfarads single section **Voltage Tempurature Limits Per Section In Percent Capacitance Change:** -25.0/+15.0 with rated voltage applied single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section Case Material: Plastic **Insulation Resistance At Reference Temp:** 100000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 2.500 **Terminal Surface Treatment:** Solder **Terminal Type And Quantity:** 6 pin Shelf Life:

N/a

NSN 5910-01-363-1436

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A010b0