## NSN 5910-01-363-9514



Paper Dielectric Fixed Capacitor - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5910-01-363-9514 **Body Style:** W/thd bushing mtg, terminals on opposite ends Reliability Indicator: Not established **Terminal Length:** 0.296 inches **Body Diameter:** 0.400 inches **Body Length:** 0.875 inches **Schematic Diagram Designator:** Feedthrough **Mounting Facility Screw Thread Series Designator: Mounting Facility Type And Quantity:** 1 threaded bushing **Features Provided:** Hermetically sealed case **Insulation Resistance At Maximum Operating Temp:** 150.0 megohms **Capacitance Value Per Section:** 0.047 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius **Thread Size:** 0.312 inches Nonderated Continuous Voltage Rating And Type Per Section: 200.0 dc single section **Tolerance Range Per Section:** -10.00 to 10.00 percent single section **Case Material:** Metal **Insulation Resistance At Reference Temp:** 30000.0 megohms **Power Factor At Reference Tempurature In Percent:** 1.000 **Terminal Surface Treatment:** Solder **Case Insulation Material:** 

**Plastic Terminal Type And Quantity:** 

2 tab, solder lug

## NSN 5910-01-363-9514

Paper Dielectric Fixed Capacitor - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0