Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-365-9901

## **Body Style:**

W/o mtg facilities, terminal (s) on one end

## **Reliability Indicator:**

Not established

# Terminal Length:

0.187 inches

## **Body Diameter:**

0.196 inches

#### **Body Length:**

0.300 inches

### Center To Center Distance Between Terminals Parallel To Diameter:

Between 0.170 inches and 0.230 inches

## **Terminal Diameter:**

0.020 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Anode Type:

Solid

#### **Electrical Polarization:**

Polarized

## **Capacitance Value Per Section:**

10.000 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

10.0 dc single section

### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

## **Case Material:**

Plastic

### **Capacitive Electrode Material:**

Tantalum

### **Dissipation Factor At Reference Tempurature In Percent:**

8.000

### Dc Leakage At Reference Temp:

1.000 microamperes

## **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead

### Shelf Life:

N/a

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0