## NSN 5910-01-365-9910

Electrolytic Fixed Capacitor - Page 1 of 2



/iew Online at https://aerobasegroup.com/nsn/5910-01-365-9910

view Online at https://aerobasegroup.com/nsn/5910-01-365-9910
Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Established
Body Diameter:
Between 0.870 inches and 0.910 inches
Body Length:
Between 0.920 inches and 1.080 inches
Terminal Height From Body:
0.250 inches
Schematic Diagram Designator:
Electrod (s) grounded to case
Electrical Polarization:
Polarized
Section Quantity:
1
Capacitance Value Per Section:
120.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 105.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
250.0 dc single section
Tolerance Range Per Section:
-20.00/+20.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Terminal Surface Treatment:
Solder
Case Insulation Material:
Plastic
Test Data Document:
81349-mil-c-55681 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
2 ribbon
Specification Data:
81349-mil-c-55681/5 government specification

-

N/a

Shelf Life:

**Unit Of Measure:** 

## NSN 5910-01-365-9910

Electrolytic Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0