NSN 5910-01-365-9923

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-365-9923

view Online at https://aerobasegroup.com/hsh/b910-01-365-9923	
Body Style:	
W/o mtg facilities terminal (s) on one surface	
Reliability Indicator:	
Not established	
Terminal Length:	
0.157 inches	
Body Length:	
0.295 inches	
Body Width:	
0.284 inches	
Body Height:	
0.103 inches	
Center To Center Distance Between Terminals Parallel To Length:	
Between 0.180 inches and 0.220 inches	
Terminal Diameter:	
Between 0.018 inches and 0.026 inches	
Schematic Diagram Designator:	
No common or grounded electrode (s)	
End Application:	
6625-01-285-9218 generator, signal	
Capacitance Value Per Section:	
0.047 microfarads single section	
Nonderated Operating Temp:	
Between -55.0 degrees celsius and 85.0 degrees celsius	
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:	
400.0 single section	
Nonderated Continuous Voltage Rating And Type Per Section:	
50.0 dc single section	
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:	
-200.0/+200.0 single section	
Tolerance Range Per Section:	
-10.00/+10.00 percent single section	
Case Material:	
Plastic	
Dissipation Factor At Reference Tempurature In Percent:	
0.010	
Terminal Surface Treatment:	
Solder	
Dielectric Material:	
Plastic polyester	
Terminal Type And Quantity:	

2 uninsulated wire lead

NSN 5910-01-365-9923

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0