Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-366-0819

## **Body Style:**

W/o mtg facilities, terminal (s) on one end

## **Reliability Indicator:**

Not established

## Body Diameter:

6.8 millimeters

#### **Body Length:**

6.0 millimeters

#### Center To Center Distance Between Terminals Parallel To Diameter:

2.5 millimeters

#### **Terminal Diameter:**

Between 0.016 millimeters and 0.5 millimeters

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Plain foil

#### **Electrical Polarization:**

Polarized

## **Capacitance Value Per Section:**

22.000 microfarads single section

## Nonderated Operating Temp:

Between -40.0 degrees celsius and 105.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

35.0 dc single section

#### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

## **Case Material:**

Metal

#### **Capacitive Electrode Material:**

Aluminum

## **Dissipation Factor At Reference Tempurature In Percent:**

0.150

# Dc Leakage At Reference Temp:

7.700 microamperes

# **Terminal Surface Treatment:**

Solder

# Case Insulation Material:

Plastic

# Terminal Type And Quantity:

2 printed circuit

# Shelf Life:

N/a

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0