

View Online at <https://aerobasegroup.com/nsn/5910-01-377-0697>

**Body Style:**

W/thd bushing mtg, terminal (s) on one end

**Reliability Indicator:**

Not established

**Terminal Length:**

Between 0.313 inches and 0.437 inches

**Body Diameter:**

Between 1.438 inches and 1.562 inches

**Body Length:**

Between 3.438 inches and 3.562 inches

**Center To Center Distance Between Terminals Parallel To Diameter:**

Between 0.720 inches and 0.780 inches

**Terminal Diameter:**

0.216 inches

**Terminal Height From Body:**

Between 0.313 inches and 0.437 inches

**Schematic Diagram Designator:**

Electrod (s) grounded to case, w/gnd terminal

**Internal Electrical Connection Type:**

Extended foil

**Mounting Facility Screw Thread Series Designator:**

Unf

**Mounting Facility Type And Quantity:**

1 threaded bushing

**Features Provided:**

Hermetically sealed case

**Capacitance Value Per Section:**

20.000 microfarads single section

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 95.0 degrees celsius

**Thread Size:**

0.216 inches

**Nonderated Continuous Voltage Rating And Type Per Section:**

1500.0 dc single section

**Tolerance Range Per Section:**

-10.00/+10.00 percent single section

**Thread Tolerance Class:**

2a external

**Case Material:**

Metal

**Insulation Resistance At Reference Temp:**

5000.0 megohm-microfarads

**Dissipation Factor At Reference Temperature In Percent:**

1.000

**Terminal Surface Treatment:**

Solder

**Dielectric Material:**

Plastic polyester

**Case Insulation Material:**

Plastic

**Terminal Type And Quantity:**

1 standoff, threaded stud and 1 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A010b0