## NSN 5910-01-388-4511

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-388-4511

view Online at https://derobasegroup.com/nsi//3510-01-300-4511
Body Style:
W/o mtg facilities, terminal (s) on one end
Reliability Indicator:
Not established
Body Diameter:
1.750 inches
Body Length:
2.125 inches
Center To Center Distance Between Terminals Parallel To Diameter:
0.750 inches
Center To Center Distance Between Mounting Facilities Parallel To Diameter:
0.750 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Electrical Polarization:
Polarized
Mounting Facility Screw Thread Series Designator:
Unf
Mounting Facility Type And Quantity:
2 threaded mounting holes
Capacitance Value Per Section:
11000.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 105.0 degrees celsius
Thread Size:
0.190 inches
Nonderated Continuous Voltage Rating And Type Per Section:
16.0 dc single section
Criticality Code Justification:
Zzzy
Tolerance Range Per Section:
-10.00/+10.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Case Insulation Material:
Plastic
Special Features:
Item must comply with requirements of defense supply center columbus production standard no. Lo4506
Terminal Type And Quantity:

2 threaded hole

## NSN 5910-01-388-4511

Electrolytic Fixed Capacitor - Page 2 of 2



## **Reference Number Differentiating Characteristics:**

Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp.

Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0