

View Online at <https://aerobasegroup.com/nsn/5910-01-388-5929>

Body Style:

W/o mtg facilities, radial terminals

Reliability Indicator:

Not established

Terminal Length:

Between 12.0 millimeters and 20.0 millimeters

Body Diameter:

8.5 millimeters

Body Length:

13.5 millimeters

Center To Center Distance Between Terminals Parallel To Length:

Between 4.0 millimeters and 6.0 millimeters

Terminal Diameter:

Between 0.45 millimeters and 0.55 millimeters

Schematic Diagram Designator:

No common or grounded electrode (s)

Anode Type:

Solid

Electrical Polarization:

Polarized

Capacitance Value Per Section:

33.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

25.0 dc single section

Tolerance Range Per Section:

-20.00/+20.00 percent single section

Case Material:

Plastic

Capacitive Electrode Material:

Tantalum

Dissipation Factor At Reference Temperature In Percent:

8.000

Case Insulation Material:

Rubber

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A010b0